

**Information Bulletin No. IB16-016 WITHDRAWN 2022-12-13**  
Replaced by IB22-023

**October 25, 2016**

## **Movement of Tanks<sup>1</sup> Not Designed for Transportation or Delivery of Propane**

This Information Bulletin supersedes Information Bulletin IB04-004 issued April 14, 2004, which is hereby withdrawn.

Stationary pressure vessels are not designed for use as pressurized transport vessels and must not be used for that purpose.

Through consultation with Alberta Transportation, we understand the movement of tanks not designed for the transportation and delivery of propane is covered under Clause 6.3, Specific Requirement 24, of Canadian Standards Association (CSA) B622-09. The clause indicates that tanks constructed in accordance with CSA B51, Part 1, but not meeting the requirements of specification TC 51, may be offered for transportation if they are emptied to the greatest extent possible and in no case shall they contain more liquefied gas than 5 percent of their volumetric capacity.

For additional information, please contact:

Ms. Nancy Welsh, Manager  
Alberta Transportation  
Co-ordination and Information Centre  
Telephone: 780-427-8660

Note 1: In the propane industry, "tank" is commonly used to describe a pressure vessel used to contain propane.

*<original signed by>*

Mike Poehlmann, P.L. (Eng.)  
Administrator, Province of Alberta Pressure Equipment Safety  
Chief Inspector, ABSA the pressure equipment safety authority